


KUNMING

www.kunming.com.tw



KUNMING Product Guide


TYPE-C 2P / 4P-F系列

TYPE-C 2P-F 立式直插DIP H=5.0/5.5/6.5/6.80mm



KMUC02001H

H=0500/0550/0650/0680




TYPE-C 4P-F 立式直插DIP H=5.0/5.5/6.5/6.80mm



KMUC0002H

H=0500/0550/0650/0680




TYPE-C 4P-F 立式贴片SMT H=5.0/5.5/6.5/6.80mm



KMUC04003H

H=0500/0550/0650/0680




TYPE-C 4P-F 板上四脚插板SMT L=5.0/5.5/6.5/6.80mm



KMUC04004L

L=0500/0550/0650/0680




TYPE-C 4P-F 沉板0.8/1.2/1.6四脚插板 L=6.5/6.80mm



KMUC04005L


H=08/12/16

L=0650/0680



TYPE-C 6P-F系列


TYPE-C 6P-F 立式直插DIP H=11.0/11.5/12.0/13.0/13.7/15.0/17.50mm



KMUC06011H

H=1100/1150/1200/1300/1370/1500/1750


TYPE-C 6P-F 立式贴片SMT H=5.1 / 5.60mm 不漏舌



KMUC06012H

H=0510/0560


TYPE-C 6P-F 立式贴片SMT H=5.0/5.5/6.5/6.8/7.40mm



KMUC06013H

H=0500/0550/0650/0680/0740


TYPE-C 6P-F 立式贴片SMT H=8.8/9.3/10.0/10.50mm



KMUC06014H

H=0880/0930/1000/1050

TYPE-C 6P-F 立式贴片SMT H=13.0/13.7/15.0mm




KMUC06015H


H=1300/1370/1500

[illegible]

L=0500/0550




L=0500/0550




KMUC06018H1


L=0650/0680




$L=1350$




L=1350




TYPE-C 14P-F 立式直插DIP直脚 H=8.2/9.3/10.0/10.5/11.0/11.5mm




TYPE-C 14P-F 立式直插DIP鱼叉脚 H=9.3/10.0/10.5/11.50mm




TYPE-C 14P-F 立式贴片SMT缩口 H=8.20mm



TYPE-C 14P-F 立式贴片SMT H=9.3/10.0/10.50mm



TYPE-C 14P-F 双层立式直插DIP H=11.0mm




05

TYPE-C 14P-F 板上四脚插板DIP+SMT L=9.87mm




KMUC14006L
L=0987



TYPE-C 14P-F 沉板1.6四脚插板SMT L=6.90mm




KMUC14007L
L=0690



TYPE-C 14P-F 側插90度DIP L=14.0mm




KMUC14008L
L=1400



TYPE-C 14P-F 側插90度DIP L=14.75mm




KMUC14009L
L=1475



TYPE-C 14P-F 側插90度DIP墊高2.6 L=14.75mm



KMUC14010L
L=1475




TYPE-C 16P-F系列

TYPE-C 16P-F 板上后两脚插板SMT缩口 L=3.40mm




KMUC16001L
L=0340



TYPE-C 16P-F 板上四脚插板SMT双壳短体 L=5.80mm




KMUC16002L
L=0580



TYPE-C 16P-F 板上四脚插板SMT有弹/无弹 L=6.5/6.8/7.35/8.35mm




KMUC16003L
L=0650/0680/0735/0835



TYPE-C 16P-F 板上四脚插板SMT斜口 L=7.35mm




KMUC16004L
L=0735



TYPE-C 16P-F 板上后两脚插板SMT L=7.35mm



KMUC16005L
L=0735



[illegible]


Figure 1: Recommended P.C.B. layout for the 16-pin DIP package. The figure includes three views: a top view of the package showing dimensions like 8.34 ± 0.05, 2.54 ± 0.24, and 8.64 ± 0.30; a side view showing a height of 1.78 and a pin length of 3.14; and a detailed top view of the PCB layout showing dimensions like 1.345, 0.85, 2.975, and 8.64. A note specifies "RECOMMENDED P.C.B. LAYOUT GENERAL TOLERANCE: ± 0.05 PCB TOP SURFACE".

TYPE-C 16P-F系列

TYPE-C 16P-F 立式贴片SMT两脚插板 H=5.6/6.50mm




KMUC16011H
H=0560/0650



TYPE-C 16P-F 立式贴片SMT四脚插板 H=5.6/6.5/6.8/7.40mm




KMUC16012H
H=0560/0650/0680/0740



TYPE-C 16P-F 立式贴片SMT三脚插板 H=6.5/6.8/7.0/7.45mm




KMUC16013H
H=0650/0680/0700/0745



TYPE-C 16P-F 立式贴片SMT四脚插板 H=8.8/9.3/10.0/10.50mm




KMUC16014H
H=0880/0930/1000/1050





TYPE-C 16P-F 立式贴片SMT四脚插板 H=8.8/9.3/10.0/12.4/13.1/13.7/15.0/17.50mm



KMUC16015H
H=0880/0930/1000/1240/1310/1370/1500/1750






TYPE-C 16P-F 立式直插DIP H=6.5/6.80mm






KMUC16016H
H=0650/0680

TYPE-C 16P-F 立式直插DIP全塑 H=9.90mm






KMUC16017H
H=0990

TYPE-C 16P-F 立式直插DIP H=13.1/13.7/15.0/17.5/18.50mm 两排针






KMUC16018H
H=1310/1370/1500/1750/1850

TYPE-C 16P-F 立式直插DIP H=8.8/9.3/10.0/10.5/11.5/12.4/13.1/13.7/15.0/17.5mm



KMUC16019H
H=0880/0930/1000/1050/1150/
1240/1310/1370/1500/1750

TYPE-C 16P-F 立式插板DIP H=18.5/19.6/20.5/22.5/24.5mm




KMUC16020H
H=1850/1960/2050/2250/2450

TYPE-C 16P-F系列

TYPE-C 16P-F 板上垫高0.5/ 1.0/1.4/1.6四脚插板SMT CH=2.08/2.67/2.98/3.18mm




KMUC16021CH
H=05/10/14/16
CH=0208/0267/0298/0318



TYPE-C 16P-F 板上垫高1.9/2.5/3.0/4.3四脚插板SMT CH=3.5/4.05/4.58/5.90mm




KMUC16022CH
H=19/25/30/43
CH=0350/0405/0458/0590



TYPE-C 16P-F 板上垫高2.2/6.2四脚插板DIP CH=3.37/7.78mm




KMUC16023CH
H=22/62
CH=0337/0778



TYPE-C 16P-F 垫高1.6/5.4 四脚插板SMT CH=3.18/6.96 三星款




KMUC16024CH
H=16/54
CH=0318/0696



TYPE-C 16P-F + USB 2.0 AF 二合一四脚插板DIP L=13.50mm



KMUC16UA20025L
L=1350




TYPE-C 16P-F 沉板0.54/0.8/1.0/1.1/1.2/1.6/1.85/2.1/2.4四脚插板SMT L=6.5/6.8/7.35mm



KMUC16026L

H=054/08/10/11/12/16/185/21/24

L=0650/0680/0735




TYPE-C 16P-F 沉板1.68两脚插板SMT缩口式 L=3.0mm



KMUC16027L

L=0300




TYPE-C 16P-F 沉板1.68前贴后插SMT双壳缩口 L=3.0mm



KMUC16028L

L=0300




TYPE-C 16P-F 沉板1.1四脚插板DIP+SMT有弹/无弹 L=7.96mm



KMUC16029L

L=0796




TYPE-C 16P-F 沉板3.11四脚插板SMT L=6.50mm 反贴



KMUC16030L

L=0650




TYPE-C 16P-F系列

TYPE-C 16P-F 侧插90度DIP加高2.7 CH=7.2 L=10.0mm




KMUC16031L
L=1000



TYPE-C 16P-F 侧插90度DIP带护套 L=10.50mm




KMUC16032L
L=1050



TYPE-C 16P-F 侧插90度DIP CH=4.6/7.2 L=14.30mm




KMUC16033L
CH=0460/0720
L=1430



TYPE-C 16P-F 侧插贴片SMT CH=5.1/6.7/7.2/8.6 L=13.70mm




KMUC16034L
CH=0510/0670/0720/0860
L=1370



TYPE-C 16P-F 侧插90度DIP CH=7.63 缩口 L=14.55mm




KMUC16035L
L=1455




KUNNING


L=0790/0890




L=0790




L=0817/0897




L=0790




L=0790




TYPE-C 24P-F 板上四脚插板DIP+SMT缩口 L=5.10mm




TYPE-C 24P-F 板上四脚插板DIP+SMT L=8.59mm




TYPE-C 24P-F 板上四腳插板DIP+SMT帶彈片 L=9.87mm



TYPE-C 24P-F 板上四脚插板DIP+SMT 无弹片 L=8.65 / 10.0mm






TYPE-C 24P-F 板上四脚插板DIP+SMT双壳 L=8.65/10.0mm



15

KUNNING

[illegible]

Technical drawing of a mechanical part with dimensions: 1.35, 0.70, 0.80, 9.06, 0.15 ± 0.05 , and 4.55 ± 0.10 .



















Diagram of the front view of the device. The overall width is 8.74. The overall height is 11.63. The height of the top section is 11.33. The top section contains a date code label: DATE CODE: YYWW, with fields for YEAR (EX. 15=2015) and WEEK CODE. Below the date code is a barcode. The bottom section contains the label YYWW and two small circular icons.





TYPE-C 24P-F 板上四脚插板SMT双壳加长 L=12.40mm





TYPE-C 24P-F 板上垫高0.85四脚插板DIP+SMT CH=2.53 L=9.60mm





TYPE-C 24P-F 板上垫高1.0四脚插板DIP+SMT CH=2.75 L=8.65 / 10.0mm



TYPE-C 24P-F 板上垫高1.82四脚插板DIP+SMT CH=3.40 L=11.10mm




TYPE-C 24P-F 板上垫高1.82四脚插板SMT CH=3.40 L=10.15mm



TYPE-C 24P-F 板上四脚插板SMT单排贴片 L=10.55mm (USB 4 40Gb)




KMUC24021L
L=1055



TYPE-C 24P-F 板上四脚插板SMT L=8.28mm (USB 4 40Gb)




KMUC24022L
L=0828



TYPE-C 24P-F 侧插贴片SMT双壳 CH=5.06 L=14.30mm (USB 4 40Gb)




KMUC24023L
L=1430



TYPE-C 24P-F 侧插贴片SMT单壳 CH=5.10 L=13.95mm (USB 4 40Gb)




KMUC24024L
L=1395



TYPE-C 24P-F 侧插贴片SMT单壳加高 CH=6.7/7.2/8.6 L=13.95mm (USB 4 40Gb)



KMUC24025L
CH=0670/0720/0860
L=1395




TYPE-C 24P-F系列

TYPE-C 24P-F 沉板0.6六脚插板DIP+SMT L=9.85mm




KMUC24026L
L=0985



TYPE-C 24P-F 沉板0.89四脚插板DIP+SMT双壳加长 L=12.40mm




KMUC24027L
L=1240



TYPE-C 24P-F 沉板1.37四脚插板DIP+SMT双壳 L=8.65/10.0mm




KMUC24028L
L=0865/1000



TYPE-C 24P-F 沉板1.98六脚插板DIP+SMT L=10.30mm 居中款




KMUC24029L
L=1030



TYPE-C 24P-F 沉板2.36四脚插板DIP+SMT L=7.95mm



KMUC24030L
L=0795




TYPE-C 24P-F 沉板0.8/1.0/1.6四脚插板双SMT L=7.9/8.90mm



KMUC24031L

H=08/10/16

L=0790/0890




TYPE-C 24P-F 沉板0.8四脚插板双SMT斜口 L=7.90mm



KMUC24032L

L=0790




TYPE-C 24P-F 沉板0.8四脚插板双SMT带弹片 L=8.17/9.17mm 脚距5.3



KMUC24033L

L=0817/0917




TYPE-C 24P-F 沉板0.98四脚插板双SMT L=8.35/8.75/9.75mm



KMUC24034L

L=0835/0875/0975




TYPE-C 24P-F 沉板1.12四脚插板双SMT缩口式 L=8.15mm



KMUC24035L

L=0815




TYPE-C 24P-F系列

TYPE-C 24P-F 夹板0.8/1.0 L=5.8/6.50mm




KMUC24036NL
N=08/10
L=0580/0650



TYPE-C 24P-F 夹板0.8/1.0带外壳脚 缩口式 L=5.70mm




KMUC24037NL
N=08/10
L=0570



TYPE-C 24P-F 夹板0.8带外壳脚 L=7.35/8.60mm




KMUC24038NL
L=0735/0860



TYPE-C 24P-F 夹板0.8/1.0/1.2带外壳脚 L=8.8/9.3/10.0/10.50mm




KMUC24039NL
N=08/10/12
L=0880/0930/1000/1050







TYPE-C 24P-F 带PCB板2P/4P 6芯焊盘 充电/OTG



KMUC24040OTG



TYPE-C 24P-F 立式贴片SMT四脚插板 H=5.6/6.0/6.5/6.8/7.40mm 脚距4.8






RECOMMENDED PCB LAYOUT
PCB T=1.20mm
TOL: ± 0.05

KMUC24041H

H=0560/0600/0650/0680/0740

TYPE-C 24P-F 立式贴片SMT四脚插板 H=8.8/9.30mm 脚距4.8







RECOMMENDED P.C.B LAYOUT (T:1.00mm)
TOLERANCE UNSPECIFIED ± 0.05 mm

KMUC24042H

H=0880/0930

TYPE-C 24P-F 立式贴片SMT四脚插板 H=9.05mm 脚距7.2







RECOMMENDED PCB LAYOUT

KMUC24043H

H=0905

TYPE-C 24P-F 立式贴片SMT四脚插板 H=9.40mm







RECOMMENDED P.C.B LAYOUT (COMPONENT SIDE)
PCB THICKNESS: 1.20 ± 0.05 mm
DEFAULT TOLERANCE: ± 0.05

KMUC24044H

H=0940

TYPE-C 24P-F 立式贴片SMT四脚插板 H=10.0mm 脚距8.2 带飞机弹片



RECOMMENDED PCB LAYOUT
TOL: ± 0.05

KMUC24045H


H=1000

TYPE-C 24P-F系列

TYPE-C 24P-F 立式贴片SMT四脚插板 H=10.0/10.5/11.50mm 脚距4.8




KMUC24046H
H=1000/1050/1150



TYPE-C 24P-F 立式贴片SMT四脚插板 H=12.0mm 脚距8.2 Molex款




KMUC24047H
H=1200



TYPE-C 24P-F 立式贴片SMT四脚插板 H=13.0/13.5/14.0/14.5/15.0mm 脚距8.2




KMUC24048H
H=1300/1350/1400/1450/1500



TYPE-C 24P-F 立式贴片SMT四脚插板 H=10.0/10.5/11.5/12.0/12.4/13.0/13.5/14.5/15.0mm 脚距8.2




KMUC24049H
H=1000/1050/1150/1200/1240/
1300/1350/1450/1500






TYPE-C 24P-F 立式直插DIP四脚插板 H=10.0/10.50mm



KMUC24050H
H=1000/1050




TYPE-C 24P-M 带板3.6H拉伸壳2.0数据双面信号4+2焊点





KMUC24051H

TYPE-C 24P-M 带板3.6H拉伸壳3.0数据6+4焊点+10NF电容带线夹






KMUC24052H

TYPE-C 24P-M 带板3.6H拉伸壳3.1数据16焊点180° 带线夹





KMUC24053H

TYPE-C 24P-M 带板3.0H拉伸壳3.1版弯头90° 17焊点



KMUC24054H

TYPE-C 24P-M 带板3.6H拉伸壳C To C 5焊点+10NF电容侧焊




KMUC24055H

TYPE-CM焊板系列

TYPE-C 14P-M 夹板0.8/1.0短体 L=9.0mm




KMUC14001NL
N=08/10
L=0900



TYPE-C 16P-M 夹板0.8/1.0短体 L=7.20mm




KMUC16001NL
N=08/10
L=0720



TYPE-C 16P-M 立式直插DIP H=6.10mm




KMUC16002MH
H=0610



TYPE-C 24P-M 夹板0.8拉伸超薄 L=10.0mm




KMUC24001NL
L=1000









TYPE-C 24P-M 夹板0.3/0.8/1.0/1.2/1.6拉伸 L=10.67mm



KMUC24002NL
N=03/08/10/12/16
L=1067




TYPE-C 24P-M 夹板0.8带鱼叉脚加长 L=12.0mm




TYPE-CM焊板系列

TYPE-C 24P-M 立式贴片SMT拉伸壳 H=8.8/10.0/11.0mm




KMUC24008MH
H=0880/1000/1100

TYPE-C 24P-M 立式贴片SMT双壳 H=12.0/12.50mm




KMUC24009MH
H=1200/1250

TYPE-C 24P-M 立式贴片SMT无外壳脚 H=11.10mm




KMUC24010MH
H=1110

TYPE-C 24P-M 立式贴片SMT三脚/四脚 H=9.0/11.1/12.10mm



KMUC24011MH
H=0900/1110/1210

TYPE-C 12P-M 板上四脚全贴片SMT L=13.18mm




KMUC12001ML
L=1318

TYPE-C 9P-M 沉板1.05两脚插板SMT L=12.20mm (拉伸款)




KMUC09001MCL
L=1220



TYPE-C 9P-M 沉板1.05两脚插板DIP+SMT L=13.30mm (铆合款)




KMUC09002MCL
L=1330



TYPE-C 12P-M 沉板1.05两脚插板SMT L=12.20mm 拉伸/铆合




KMUC12001MCL
L=1220



TYPE-C 12P-M 沉板0.95两脚插板SMT L=13.60mm




KMUC12002MCL
L=1360



TYPE-C 12P-M 沉板0.95两脚插板DIP+SMT L=14.30mm



KMUC12003MCL
L=1430




[illegible][illegible]

Figure 1: Mechanical drawing of the 100-pin connector. The drawing includes three views: a top view, a side view, and a front view. The top view shows a rectangular connector with dimensions 6.83 ± 0.05 mm for the main body and 0.84 ± 0.05 mm for the pin pitch. The side view shows a length of 12.50 ± 0.20 mm and a pin height of 1.00 mm. The front view shows a total width of 8.25 ± 0.03 mm and a pin pitch of 0.50 ± 0.05 mm. The drawing also indicates 'LASER POINTS' and provides a recommended P.C.B. layout with dimensions 0.80 or 1.00 mm and a tolerance of ± 0.05 mm.

防水TYPE-C 2P-F 焊线式 L=7.25mm




KMUCW02001L
L=0725



防水TYPE-C 2P-F 注塑焊线式 带线可带 C-TO-C




KMUCW02002CTC



防水TYPE-C 2P-F 注塑焊线式 带螺孔 带线可带 C-TO-C




KMUCW02003CTC



防水TYPE-C 4P-F 板上两脚插板SMT L=8.30mm




KMUCW04001L
L=0830



防水TYPE-C 4P-F 立式直插DIP H=7.15mm



KMUCW04002H
H=0715




防水USB TYPE-C系列

防水TYPE-C 4P-F 焊线式全塑缩口 L=11.45mm




KMUCW04003L
L=1145



防水TYPE-C 6P-F 板上后两脚插板SMT缩口式 L=5.70mm




KMUCW06001L
L=0570



防水TYPE-C 6P-F 板上四脚插板SMT L=7.85mm




KMUCW06002L
L=0785



防水TYPE-C 6P-F 锁壳式SMT带定位柱 L=7.30mm




KMUCW06003L
L=0730



防水TYPE-C 6P-F 板上四脚贴片SMT L=7.5/7.90mm



KMUCW06004L
L=0750/0790




防水USB TYPE-C系列

防水TYPE-C 6P-F 立式贴片SMT H=6.0/6.8/8.8/9.3/10.0/10.5/11.0mm



KMUCW06009H

H=0600/0680/0880/0930/1000/1050/1100




防水TYPE-C 6P-F 立式贴片两脚插两脚贴SMT缩口式 H=6.15mm



KMUCW06010H

H=0615




防水TYPE-C 6P-F 立式贴片SMT三脚插板DIP H=6.15mm



KMUCW06011H

H=0615




防水TYPE-C 6P-F 立式直插DIP H=7.45mm



KMUCW06012H

H=0745




防水TYPE-C 6P-F 立式直插DIP两脚插板 H=10.0/10.5/11.0mm



KMUCW06013H


H=1000/1050/1100



防水TYPE-C 16P-F 立式直插DIP缩口式两脚 H=6.80mm




KMUCW16001H
H=0680



防水TYPE-C 16P-F 立式直插DIP缩口式四脚 H=6.80mm




KMUCW16002H
H=0680



防水TYPE-C 16P-F 立式直插DIP H=10.2/13.0/13.7/15.0mm




KMUCW16003H
H=1020/1300/1370/1500



防水TYPE-C 16P-F 立式贴板SMT缩口式两脚 H=6.80mm




KMUCW16004H
H=0680



防水TYPE-C 16P-F 立式贴片SMT缩口式四脚 H=6.80mm



KMUCW16005H
H=0680




防水USB TYPE-C系列

防水TYPE-C 16P-F 板上四脚插板DIP+SMT L=7.35 / 7.85mm




KMUCW16006L
L=0735/0785



防水TYPE-C 16P-F 板上四脚全贴SMT L=7.85mm




KMUCW16007L
L=0785



防水TYPE-C 16P-F 板上SMT锁壳式带螺母 L=7.30mm




KMUCW16008L
L=0730



防水TYPE-C 16P-F 板上四脚插板SMT超薄一体壳 L=7.90mm




KMUCW16009L
L=0790



防水TYPE-C 16P-F 板上四脚插板DIP+SMT L=7.40mm




KMUCW16010L
L=0740




[illegible]


防水TYPE-C 16P-F 沉板1.4四脚插板SMT L=7.45mm




防水TYPE-C 16P-F 沉板0.8/1.2/1.3/1.6四脚插板SMT L=7.40mm




防水TYPE-C 24P-F 沉板1.0前贴后插DIP+SMT一体式外壳 L=9.0mm



防水TYPE-C 24P-F 沉板1.1/1.4四脚插板DIP+SMT 直口/卷口 L=9.65mm




防水TYPE-C 24P-F 沉板1.6锁板式双SMT L=9.60mm




37


L=0834




H=0590/0750/1000




L=0865



L=1035



$L=1005$



KUNMING Product Guide

TAIWAN HEAD OFFICE

📍 6/F., No.110, Sec.2, Keelung Road, Taipei 106, Taiwan, R.O.C.
☎ 886-2-23770022
☎ 886-2-23780000
🌐 www.kunming.com.tw
✉ 國內業務: kmb06@kunming.com.tw
International Sales: kmb02@kunming.com.tw

HONG KONG OFFICE

📍 Unit 6, 11/F., Chai Wan Industrial City Phase 1,
No.60, Wing Tai Road, Chai Wan, Hong Kong
☎ 852-28892280
☎ 852-28890408
✉ pauline@kunming.com.tw

CHONG QING FACTORY

📍 Liangping County, Chongqing City, China

WENZHOU FACTORY

📍 Hongqiao Town, Yueqing City, China



KUNMING
www.kunming.com.tw

