

2	NEW FORM	RON LO	2022/03/22
3	MODIFY DRAWING	RON LO	2023/02/01
4	MODIFY DRAWING	RON LO	2024/07/17

SPECIFICATION:

1. Current Rating: 0.5A
2. Voltage Rating: 25V AC
3. Contact Resistance: 60mΩ max.
4. Insulation Resistance: 500MΩ Min.
5. Dielectric Withstanding Voltage : 250VAC
6. Durability : 25 Cycle
7. Operating Temperature Range : -55°C~+85°C

NOTE 1 :




DATE CODE : YYWWDLX

1. YY : YEAR (21 : 2021)
2. WW : WEEK (25 : The 25th Week)
3. D : DAY (1~7 Sunday~Saturday)
4. L : Line Number of Assembly (A : Line A)
5. X : Manufature Code

NOTE 2 :

P/N : CX4-DR540A-17 "X"




- X : Au Plated
- 1 : GF
- 2 : 10u"



SECTION A-A
SCALE 2 : 1

4	LATCH	Stainless Steel
3	SOLDER PEG	Stainless Steel, Tin Plating Entire Over
2	TERMINAL	Phosphor Bronze, Gold Flash on Contact Area Gold Flash on Solder tail
1	HOUSING	LCP, UL94V-0, Black
NO.	PART NAME	DESCRIPTION
DIMENSIONS : mm		TOLERANCES UNLESS OTHERWISE SPECIFIED :
		X. ± 0.30 X.X ± 0.20 X.XX ± 0.10 ANGLES ± 3°
SCALE	1 : 1	DWN JACK WU 20220108
SHEET	1/4	CHK PETER WANG 20220108
SIZE	A4	APVD SIMON LI 20220108
CUSTOMER DRAWING		DRAWING No.
KUNMING ELECTRONICS CO.,LTD.		
NAME		
SO-DIMM DDR5, Horizontal, Standard Type, 0.5mm Pltch, 262Pin, 4.0H		
PRODUCT No.		KMCX4DR540A17X





2	NEW FORM	RON LO	2022/03/22
3	MODIFY DRAWING	RON LO	2023/02/01
4	MODIFY DRAWING	RON LO	2024/07/17




MATING : ① INSERTING(25°) → ② ROTATING → ③ FIXED
UNMATING : ④ UNFIXED → ⑤ ROTATING → ⑥ WITHDRAWING

DIMENSIONS : mm	TOLERANCES UNLESS OTHERWISE SPECIFIED :		KUNMING ELECTRONICS CO.,LTD.
	X.	± 0.30	
SCALE 1 : 1	X.X	± 0.20	NAME SO-DIMM DDR5, Horizontal, Standard Type, 0.5mm Pltch, 262Pin, 4.0H
	X.XX	± 0.10	
SHEET 2/4	ANGLES	± 3°	PRODUCT No. KMCX4DR540A17X
	DWN	20220108	
SIZE A4	CHK	JACK WU	DRAWING No.
	APVD	PETER WANG	
CUSTOMER DRAWING	SIMON LI	20220108	




2	NEW FORM	RON LO	2022/03/22
3	MODIFY DRAWING	RON LO	2023/02/01
4	MODIFY DRAWING	RON LO	2024/07/17





DIMENSIONS : mm		TOLERANCES UNLESS OTHERWISE SPECIFIED :		KUNMING ELECTRONICS CO.,LTD.	
		X.	± 0.30	NAME	
		X.X	± 0.20	SO-DIMM DDR5, Horizontal, Standard Type, 0.5mm Pltch, 262Pin, 4.0H	
		X.XX	± 0.10	SHEET	
		ANGLES	± 3°	3/4	
SCALE		DWN	20220108	PRODUCT No.	
1 : 1		CHK	20220108	KMCX4DR540A17X	
SHEET		PETER WANG		DRAWING No.	
SIZE		APVD	20220108		
A4		SIMON LI			
CUSTOMER DRAWING					



PULL OUT DIRECTION



DETAIL : R
SCALE 4 : 1



- PACKAGE :**
- 500 PCS / Reel
 - 2 Reel / Carton
 - 1000 PCS / Carton

2	NEW FORM	RON LO	2022/03/22
3	MODIFY DRAWING	RON LO	2023/02/01
4	MODIFY DRAWING	RON LO	2024/07/17

DIMENSIONS : mm		TOLERANCES UNLESS OTHERWISE SPECIFIED :		KUNMING ELECTRONICS CO.,LTD.	
		X.	± 0.30	NAME	
		X.X	± 0.20	SO-DIMM DDR5, Horizontal, Standard Type, 0.5mm Pltch, 262Pin, 4.0H	
		X.XX	± 0.10	PRODUCT No.	
		ANGLES	± 3°	KMCX4DR540A17X	
SCALE	1 : 1	DWN	JACK WU	20220108	DRAWING No.
SHEET	4/4	CHK	PETER WANG	20220108	
SIZE	A4	APVD	SIMON LI	20220108	
CUSTOMER DRAWING					